

# Work Order ID 75295

**\*75295\***

Page 1

October-20-11 9:57:48 AM

Item ID: D350-607-411 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Quick Release Basket Mounting Installation  
 Start Date: 20/10/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 08/11/2011 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: ML5 Date: 11/10/20 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_  
 Run Start **\*NR1\***  
 Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
<b>Draw Nbr</b>	<b>Revision Nbr</b>								
D350-607-2	C								
100		0.00							
<b>*100*</b>	DOCUMENT CONTROL								
DC	<b>Memo</b>	0.00							
Document Control	Photocopy bluefile & type labels per PPPD350-607-411 CHG001								
110	Pick Kit	0.00							
<b>*110*</b>									
Packaging	<b>Memo</b>	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
<b>*120*</b>									
QC	<b>Memo</b>	0.00							
Quality Control									

*Handwritten:* JG Car ML5 11-11-14

*Handwritten:* Su 11/14

*Handwritten:* 11/11/14

*Handwritten:* Su 11/14

*Handwritten:* (X)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 75295

**\*75295\***

Page 2

October-20-11 9:57:48 AM

Item ID: D350-607-411 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Quick Release Basket Mounting Installation  
 Start Date: 20/10/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 08/11/2011 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	<del>PACK KIT</del>	0.00							
<b>*130*</b>									
Packaging	Memo	0.00							
Packaging	Package as per PPPD350-607-411								
140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

mk 11-11-15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

October-20-11 9:57:52 AM

Page 1

Work Order ID: 75295

**\*75295\***

Parent Item: D350-607-411

**\*D350-607-411\***

Parent Item Name: Quick Release Basket Mounting Installation

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A NEW ISSUE 10-04-05 JLM VERIFIED BY:DD IPP Rev:B  
as per ecn 10-552 DD 10.04.19 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3908-041 <b>*D3908-041*</b> Crosstube Lug Assembly, Aft		Manufactured	No			110	Each	3.0000	**				
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST471		3							
				73525		3							
D3909-041 <b>*D3909-041*</b> Crosstube Lug Assembly, Fwd		Manufactured	No			110	Each	0.0000	**				
D3910-3 <b>*D3910-3*</b> Crosstube Lug		Manufactured	No			110	Each	14.0000	**				
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				st507		14							
				73526		14							
D3984 <b>*D3984*</b> Rubber Extrusion, Crosstube		Manufactured	No			110	f	330.5900	**				
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST411		330.59							
				53707		330.59							

CUT (8) 3.00" LONG

measure  
8x11/14

1  
1  
B711055  
4  
4  
B75244  
2  
1.052632  
11/11/11  
2/11/11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

@ctober-20-11 9:57:52 AM

Page 2

Work Order ID: 75295

**\*75295\***

Parent Item: D350-607-411

**\*D350-607-411\***

Parent Item Name: Quick Release Basket Mounting Installation

Start Date: 20/10/2011

Required Date: 08/11/2011

Start Qty: 1.00

Required Qty: 1.00

AN4-14A

Purchased No

110

Each

263.0000

16

16

**\*AN4-14A\***

Bolt

\*\*

## Location

## Loc Qty

## Loc Code

ST357

263

118628

100

118706

63

119127

100

16

MS21042L4

Purchased No

110

Each

13,982.00

16

16

**\*MS21042L4\***

Nut

\*\*

## Location

## Loc Qty

## Loc Code

ST300

2982

117441

51

117601

537

118451

1394

118927

1000

ST516

6000

119017

6000

ST518

5000

119075

5000

16

NAS1149F0432P

Purchased No

110

Each

90.0000

32

32

**\*NAS1149F0432P\***

Washer

\*\*

## Location

## Loc Qty

## Loc Code

ST275

90

119109

90

October-20-11 9:57:52 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



## 4.0 WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
<b>D350-607-441</b> (Standard Basket)	78.0 lb 35.4 kg	± 47.8 in ± 1.21 m	± 3728 in-lb ± 42.8 m-k-g	135 in 3.43 m	10530 in-lb 121.4 m-k-g
<b>D350-607-443</b> (Lightweight Basket)	63.0 lb 28.6 kg	± 47.8 in ± 1.21 m	± 3011 in-lb ± 34.6 m-k-g	135 in 3.43 m	8505 in-lb 98.1 m-k-g
<b>D350-607-445</b> (Standard Basket)	56.0 lb 25.4 kg	± 47.8 in ± 1.21 m	± 2677 in-lb ± 30.7 m-k-g	135 in 3.43 m	7560 in-lb 87.1 m-k-g
<b>D350-607-447</b> (Lightweight Basket)	45.0 lb 20.4 kg	± 47.8 in ± 1.21 m	± 2151 in-lb ± 24.7 m-k-g	135 in 3.43 m	6075 in-lb 70.0 m-k-g
<b>D350-607-411</b> (Quick Release Basket Mounting Kit)	5.9 lb 2.7 kg	± 36.5 in ± 0.93 m	± 215 in-lb ± 2.5 m-k-g	135 in 3.43 m	796 in-lb 9.3 m-k-g

## 5.0 PARTS LIST

QTY -441	QTY -443	QTY -445	QTY -447	QTY -411	QTY -401	PART NUMBER	DESCRIPTION
X						D350-607-441	HELI-UTILITY-BASKET
	X					D350-607-443	HELI-UTILITY-BASKET
		X				D350-607-445	HELI-UTILITY-BASKET
			X			D350-607-447	HELI-UTILITY-BASKET
1	1	1	1	X		D350-607-411	QUICK RELEASE BASKET MOUNTING KIT
					X	D350-607-401	CONVERSION KIT
					1	D3908-041	AFT X-TUBE LUG ASSY
					1	D3909-041	FWD X-TUBE LUG ASSY
					4	D3910-3	X-TUBE LUG
1	1	1	1		1	D3911-041	BASKET INSTL STUD ASSY (LOWER)
1	1	1	1		1	D3911-043	AFT EYEBOLT RECEIVER ASSY
1	1	1	1		1	D3912-041	EYEBOLT RECEIVER ASSY
				8	8	D3984-030	RUBBER EXTRUSION, X-TUBE
1						D4030-041	LONG BASKET ASSY
	1					D4030-043	LONG BASKET ASSY, LIGHTWEIGHT
		1				D4032-041	SHORT BASKET ASSY
			1			D4032-043	SHORT BASKET ASSY, LIGHTWEIGHT
1	1	1	1		1	D4085-1	PLACARD-INSTRUCTIONS
1					1	D4086-210	PLACARD, MAX LOAD
	1				1	D4086-220	PLACARD, MAX LOAD
		1			1	D4086-232	PLACARD, MAX LOAD
			1		1	D4086-243	PLACARD, MAX LOAD
6	6	6	6		6	AN4-13A	BOLT
				16	16	AN4-14A	BOLT
6	6	6	6	16	22	MS21042L4	NUT (OR MS21042-4)
12	12	12	12	32	44	NAS1149F0432P	WASHER

• COPYRIGHT © 2010 BY DART AEROSPACE LTD. •  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C  
Date: 10.07.26

